

TELESCOPIC FORKLIFT T 30 D

EFFICIENCY AND COST OF OWNERSHIP

THE T 30D TELESCOPIC FORKLIFT DOES EVERYTHING A MASTED FORKLIFT DOES... AND MORE.

REDUCING COST OF OWNERSHIP, SAVES YOU TIME, FUEL, MANPOWER AND YARD

LOADING SPACE. ADD TELESCOPIC FORKLIFT POTENTIAL TO REPLACE SEVERAL MACHINES, WHICH MEANS YOU DON'T NEED AS

MANY MASTED FORKLIFTS IN YOUR FLEET, AND THE RESULT IS MAXIMUM EFFICIENCY AND PRODUCTIVITY.



Designed specifically for forklift, The Xinchai brand diesel engine is the Chinese forklift main supplier. It adopts a number of advanced diesel engine design techniques and manufacturing processes independently developed by the company. It is highly praised by forklift users.

Reliable quality, easy to start in winter, with

Reliable quality, easy to start in winter, with fuel-saving technologies, Compact structure and easy maintenance.

And can meet the requirements of European III emission regulations.



Yanmar Novel CAE technologies were used to obtain the best muffler volumes and sound-proofing materials.

has made T 30D forklift noise more lower.

Indirect Injection engine, clean exhaust.

Can meet the requirements of European III &

EPA III emission regulations.

YANMAR 4TNE98 in option.


YANMAR YANMAR 42KW

OPERATIONAL EFFICIENCY


Thanks to the telescopic boom T30D, you can load and unload a lorry trailer from only one side. This results in up to 50% yard loading space saving; you can use the rest of the loading space for other duties and there is also no need to spend extra time repositioning vehicles around work yards.

Crossing obstacles to take the goods









| Model | T 30D | T 30D |
|---|-----------------------------|-----------------------------|
| Engine Manufacturer | XINCHAI / XINCHAI 498 | YANMAR |
| Tier compliant | NA/EU III | EPA III & EU III |
| Engine model | C490BPG / A 498 BPG1 | 4TNE98 |
| Engine output (gross power) kw | 36.8 | 42.1 |
| Cubic capacity cm ³ | 2670 / 3168 | 3319 |
| Rated rpm | 2600 | 2600 |
| Number of cylinders | 4 | 4 |
| Working pressure bar | 190 | 190 |
| Maximum reach boom horizontal (500mm load centre) mm | 2380 | 2380 |
| Turning radius mm | 2500 | 2500 |
| Weight unladen kgs | 4900 | 4900 |
| Travel speed km/h | 20 | 20 |
| Gradeability (laden / unladen) % | 25 / 21 | 25 / 21 |
| Transmission | Electro-hydraulic automatic | Electro-hydraulic automatic |
| Park brake type | Hand | Hand |
| Tyres (Front) | 28x9-15 | 28x9-15 |
| Tyres (Rear) | 6.50-10 | 6.50-10 |
| Diesel tank capacity L | 56 | 56 |

| Α | Lift height | mm | 4060 |
|---|--|----|-------------|
| В | Free lift | mm | 1400 |
| С | Height (Boom extended). | mm | 4680 |
| D | Height of overhead guard | mm | 2300 |
| Е | Height of operators seat (high/low) | mm | 1200 / 1150 |
| F | Length to fork face | mm | 2850 |
| G | Wheelbase | mm | 1680 |
| Н | Distance from c/l of front axle to fork face | mm | 600 |
| | | | |

| J | Distance from c/l of front axle to fork face (full height) | mm | 850 |
|---|--|---------|------|
| K | Load centre | mm | 500 |
| L | Lift capacities (with side shifter) | kg | 3000 |
| M | Ground clearance (lowest point) | mm | 200 |
| N | Ground clearance (wheelbase centre) | mm | 190 |
| o | Fork carriage width | mm | 1280 |
| P | Maximum width of machine | mm | 1400 |
| Q | Carriage tilt total* F/B variable through lift arc | degrees | 111 |





2000mm 150mm T 3

Forward reach

Telescopic forklift T 30D attachments, plus compatibility with the full range of industry specific attachments, gives you huge flexibility and the ability to work in a wide range of applications.

111 degrees of carriage rotation makes handing of unpalletised goods much easier and safer. Access all areas.

The telescopic boom allows single-side loading, loading to the far side of rail wagons by reaching across the platform gap, reaching inside sprinter vans and loading of ships by reaching across from the quayside.

T30D MAKE EVERYTHING EASY

Fully tilting cab.

Ground-level access to all the major components and service interval checks is quick and easy through the side-opening door and tilting cab.

The operators daily checks are behind the side door.

Diesel tank


The diesel tank is also within easy reach. and there's an unobstructed view of the indicator.

Gauge board
Succinct and gener gauge board
make you easy read.

4 Joy stick

T30D has made all function in one joy stick, even the drive.














Boom and oil cylinder
Hose burst check valve
Self leveling pallet fork
111 degrees carriage rotation
Power lift lower extend and retract
for complete control















3 TONS TO 20 TONS ROUGH TERRAIN FORKLIFT